U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA) REGION 5 77 West Jackson Boulevard (LR-8J), Chicago, Illinois 60604-3590

UNDERGROUND STORAGE TANK (UST) FIELD CITATION FORM FOR EXPEDITED SETTLEMENT NO. R5-UST-14-010-MR Part II: SETTLEMENT AGREEMENT/COMPLIANCE ORDER PART I: INSPECTION SUMMARY A. Settlement Agreement: The Owner or Operator by signing this Settlement Agreement Time: 12:30 PM On: 09/25/2013 (or by having an authorized representative sign it) agrees to settle the violations identified in Part I, subject to the following terms and conditions: Anderson's Horseshoe Bay Lodge At: 8098 Hawthorn Trail N.W. The Owner or Operator certifies, subject to civil and criminal penalties for making a false Address: Walker, MN 56484 submission to the U.S. Government, that he or she has corrected the violations, submitted true and accurate documentation of their correction, and submitted payment to the U.S. Treasury for the amount of \$1050 in payment of the full proposed penalty amount, as Tanya Kline (Name of Site Representative if not the Owner or Operator) described in Part I of this Form. The Owner or Operator agrees to comply with the terms of the Compliance Name and address of the UST Owner Order in Part II.B. Without admitting liability for the violations cited in Part I, the Owner or Operator signing below waives any objections to EPA's jurisdiction with respect to the Anderson's Horseshoe Bay Resort LLC Compliance Order and this Settlement Agreement, and consents to EPA's final approval of 8098 Hawthorn Trail N.W. Address: this Settlement Agreement without further notice. The Owner or Operator waives the Walker, MN 56484 opportunity for a public hearing pursuant to RCRA section 9006. A duly designated officer, employee, or representative of the EPA or a Once EPA signs the Settlement Agreement, EPA will take no further duly designated officer or employee of the State or Tribe inspected this enforcement action against the Owner or Operator for the civil violations facility. EPA has reviewed the inspection report and other relevant materials and described in Part I, provided the violations have been timely corrected and the penalty has has identified the following violation(s) of the UST regulations promulgated or been paid. EPA does not waive its right to enforce against the Owner or Operator for any approved by EPA under Subtitle I of the Resource Conservation and Recovery Act other violations not described in Part I and violations of the UST requirements or other (RCRA) (42 U.S.C. § 6991 et seq). requirements listed in Part I that were not corrected in a timely manner. 1. Violation: <u>Installation of inadequate overfill prevention equipment in a new</u> This Settlement Agreement and Compliance Order will become effective once signed by EPA and is binding on EPA and the Owner or Operator upon signature by both parties. Final approval of the Settlement Agreement and Cite: 40 CFR 280.20(c)(1)(ii) Compliance Order is in the sole discretion of the Regional Administrator, Proposed Penalty: \$210 Region 5, EPA, or his or her authorized delegate. Upon final approval, EPA shall mail a copy of this document to the Owner or Operator signing below. 2. Violation: Failure to conduct line tightness test or use monthly monitoring on suction piping SIGNATURE BY OWNER, OPERATOR, OR AURHORIZED REPRESENTATIVE: Cite: 40 CFR 280.41(b)(2) Proposed Penalty: \$420 Name (Print): 3. Violation: Failure to monitor tanks at least every 30 days, if appropriate Title (Print): Cite: 40 CFR 280.41(a) Proposed Penalty: \$420 B. Compliance Order: This Compliance Order is issued under the authority 4. Violation: of RCRA section 9006 to resolve the civil violations identified in Part I. The Owner or Operator is ordered to correct the violations, submit true and Cite: 40 CFR accurate documentation that the violations were corrected, and pay the total Proposed Penalty: penalty amount listed in Part I of this Form. This Compliance Order shall become final and enforceable only upon signature by an EPA official with the TOTAL PROPOSED PENALTY: \$1050 authority to sign this document. Name (Print): EPA finds the Owner or Operator in violation of the above referenced UST regulations. Title (Print): Signature: _____ Date: ____ (Signature of EPA Inspector) Notes:

INSTRUCTIONS

On the reverse side is an Underground Storage Tank (UST) Field Citation Form (Form) for expedited settlement. If you, the Owner or Operator, wish to settle this case using this Form, you must do the following:

- 1. Correct the violation(s) cited in Part I of the Form ("Part I");
- 2. Pay the total penalty amount listed in Part I in accordance with the directions provided below;
- 3. Sign the Settlement Agreement in Part II of the Form ("Part II") (or in the case when an Owner or Operator is a corporate entity, have an authorized representative sign it); and
- 4. Return the Field Citation Form along with documentation of compliance and payment information (sufficient for EPA to track payment) to EPA at the following address (within the 30-day time limit specified below):

U.S. Environmental Protection Agency
Region 5 – Underground Storage Tank Program
77 West Jackson Boulevard (LR-8J)
Chicago, Illinois 60604-3590

This settlement process is optional. You are not required to submit this Form to EPA. If you do not submit this Form, EPA will conclude that you are not interested in pursuing an expedited settlement. EPA will then consider other actions to resolve these violations including the possibility of formal administrative or judicial enforcement.

Whether you submit the Form or not, you are by law required to correct any noncompliance and comply with all applicable UST requirements. EPA will not approve the Settlement Agreement if there is an alteration of any of the information in the Form or if the payment submitted is less than the full amount of settlement.

Timeline: The Form must be postmarked no later than thirty (30) days after the date of the inspection. In the event the Form is sent to you via registered or certified mail, the timeline begins on the date of receipt of that mail. If EPA does not receive the Form within thirty (30) days, EPA will conclude that you do not wish to pursue expedited settlement. EPA will then consider taking other actions to resolve these violations including pursuing formal administrative or judicial enforcement. (Note: All time periods and deadlines in the Form, including these Instructions, are in calendar days. If a deadline falls on a Saturday, Sunday, or federal holiday, EPA will consider the deadline to fall on the next business day.)

Requesting An Extension: EPA may grant, at its discretion, an extension of thirty (30) days if you can demonstrate that it is not feasible for you to come into compliance within the initial 30-day time period. You must request that extension in writing before the initial 30-day time period expires. That written request must explain why compliance within 30 days is not feasible and it must contain a schedule for when you will come into compliance (which must not extend beyond the 30-day extension period).

Requesting that EPA Modify or Withdraw the Form: If you can document that you were in compliance with the regulations cited in Part I at the time of the inspection, you must submit that documentation to EPA within fifteen (15) calendar days of your receipt of the Form. EPA will review the documentation and may choose to not pursue enforcement or may withdraw some or all of the violations and reissue a modified Form to the Owner/Operator (via certified or registered mail) for any violations that are not withdrawn.

Payment: Payment can be made by sending a personal or certified check made out to the "Treasury of the United States" to the following address: U.S. Environmental Protection Agency, Fines and Penalties, Cincinnati Finance Center, P.O. Box 979077, St. Louis, MO 63197-9000. The check should refer to the Field Citation Form Number (located at the top of the Form). If no such number is provided on the Form, the check should have the name of the facility on it. Other forms of payment such as wire transfers and online payment are also accepted by EPA. For further information on those other forms of payment, please email CINWD_AcctsReceivable@epa.gov or use the EPA contact listed below.

Settlement Agreement Certification: By signing the Settlement Agreement in Part II, you are certifying under penalty of law that you have corrected the violations, submitted true and accurate documentation of compliance, and have paid the penalty. Failure to meet those conditions means you will remain liable for the original violations with the possibility of being liable for additional violations for noncompliance with the Compliance Order and for making a false representation to the U.S. Government.

EPA Review: Once EPA has received the Form, EPA will review it and the documentation of compliance, and verify that payment was made. If EPA decides to settle the case using this Field Citation, EPA will sign and approve the Settlement Agreement and the Compliance Order and send a copy of the completed Form to you. Once EPA has signed the Compliance Order and Settlement Agreement, you and EPA are bound by their terms. EPA reserves the right not to pursue settlement under the Field Citation and instead pursue formal enforcement. In that event, you will be promptly reimbursed for the amount you paid into the U.S. Treasury when submitting the Field Citation.

If you have any questions, please contact:

U.S. Environmental Protection Agency Region 5 – Underground Storage Tank Program 77 West Jackson Boulevard (LR-8J) Chicago, Illinois 60604-3590 Phone: (312) 886-6159